

Helen Bader School of Social Welfare

Improving lives and strengthening communities through research, education and community partnerships

- Criminal Justice
- Social Work









Trauma Responsive Services

Dimitri Topitzes, PhD, LCSW
Associate Professor, UW-Milwaukee
Clinical Director, Institute for Child & Family Well-Being

2018 Wisconsin Enrollment Conference Green Lake, WI October 2nd & 3rd, 2018



Agenda

- Define psychological trauma
- Explore consequences and prevalence trauma
- Discuss frameworks for addressing trauma



Trauma Definition



Potential Traumatic Event

- Trauma is a two-fold phenomenon: exposure and symptoms
- Potential traumatic event (as defined by DSM 5):
 - Death, serious physical injury, sexual violence
 - Direct experience, witnessing, or learning about love one, secondary exposure
 - Examples...childhood physical abuse, witnessing IPV, violent crime, car accident, etc.
- Is this an exhaustive definition?
 - Non-physical events (Coercive relationships, job loss, homelessness, etc.)
 - Chronic stressors (Racism, prolonged death of a loved one, generational poverty)
 - Childhood events (Physical discipline, emotional abuse, neglect)



Operating Definition

 Individual trauma results from an event, series of events, or set of circumstances experienced by an individual as physically or emotionally harmful or lifethreatening with lasting adverse effects on the individual's functioning and mental, physical, social, emotional, or spiritual wellbeing (SAMHSA)



Simple vs Complex PTEs

- Single Incident: Type I
 - Often adulthood & recovery probable
 - Childhood, recovery probable with support

- Multiple Incident: Type II
 - Often prolonged, enduring or chronic
 - Relational field and context of social exploitation
 - Leads to complex symptom presentation
 - Often in childhood (due to vulnerable nature of children): CDT



Consequences & Prevalence



Primary Symptoms of Trauma (I or II)

- Intrusion (re-experiencing, intrusive memories, nightmares, dissociative flashbacks)
- Avoidance (effortful or automatic, thoughts and feelings and external reminders)
- Hyperarousal (hypervigilance, sleep disturbance, aggression and irritability, concentration problems)



Short Term Secondary Symptoms

- Attachment
- Attention regulation
- Affect regulation
- Social adjustment
- Self-concept



Long-Term Effects of Complex Trauma

Mental health impairments

Behavioral health impairments


Physical health impairments

School Failure

Unemployment




Depression



Source: Chapman et al, 2004




Alcohol Abuse






Heart Disease






Q1: High School Dropout





Employment Problems





Cumulative Trauma

Prevalence of Adverse Childhood Experiences among Men

| ACE Index Score, Prevalence, % | ACE Study N=3948 | Milwaukee Study N=199 |
|-----------------------------------|---------------------|--------------------------|
| 0 | 34.2 | 15.7 |
| 1 | 27.3 | 11.6 |
| 2 | 16.4 | 17.2 |
| 3 | 9.3 | 8.1 |
| 4 | 4.8 | <u>8.6</u> |
| ≥5 | 8.0 | <u>38.8</u> |



Trauma Service Frameworks



Levels of **Trauma-Related Services**

Trauma-Sensitive

Trauma-Informed

Trauma-Focused



Trauma Sensitive

- Awareness
- Compassion
- Empowerment
- Education and normalization
- Emotion regulation as a regulator
- Trauma management
- Predictability
- Collaboration



Trauma-Informed

- Overarching Approaches
 - Realize widespread impact
 - Recognize signs and symptoms
 - Resist re-triggering
 - Implement TIC practices
- Practices
 - Assess
 - Psychoeducation
 - Emotion & cognitive regulation
 - Motivational enhancement
 - Refer
 - Intra- and inter-system coordination



Trauma-Focused

Trauma-sensitive plus trauma-informed plus

- Address causes of post traumatic disturbances
 - Present life focus
 - emotion regulation and relational work
 - Past life focus
 - trauma narrative
 - Future life focus
 - self-concept work



Questions?



Thank you

Dimitri Topitzes, PhD, LCSW

topitzes@uwm.edu

414-229-3004